J. Lipid Research, October 1963
Volume 4, Number 4

Author Index

Vol. 4, Nos. 1–4

A

Alfin-Slater, R. B. See *Morin, Shimma, Bernick, and Alfin-Slater,* 351
Ashworth, C. T., and **J. M. Johnston.** The intestinal absorption of fatty acid: A biochemical and electron microscopic study. 454
Avigan, J., D. S. Goodman, and **D. Steinberg.** Thin-layer chromatography on sterols and steroids, 100
———. See *Horlick and Avigan,* 160
———. See *Wong, Avigan, Raiford, Butler, and Vroman,* 477

B

Barclay, M. See *Skipski, Peterson, Sanders, and Barclay,* 227
Begemann, P. H. See *van der Ven, Begemann, and Schogt,* 91
Bernick, S. See *Morin, Shimma, Bernick, and Alfin-Slater,* 351
Bieber, L. L., and **R. W. Newburgh.** The incorporation of dimethylaminoethanol and dimethylamino*iso*propyl alcohol into *Phormia regina* phospholipids, 397
Bieri, J. G. See *Krishnamurthy and Bieri,* 330
Bishop, D. G., and **J. L. Still.** Fatty acid metabolism in *Serratia marcescens*: III. The constituent fatty acids of the cell, 81
———, and ———. Fatty acid metabolism in *Serratia marcescens*: IV. The effect of temperature on fatty acid composition, 87
Blank, M. L. See *Privett, Blank, and Romanus,* 260
———, and **O. S. Privett.** Studies on the metabolism of *cis,trans* isomers of methyl linoleate and linolenate, 470
Bogdonoff, M. D. See *Friedberg, Sher, Bogdonoff, and Estes,* 34
Borgström, B., and **L. Krabisch.** A note on the preparation of small quantities of labeled fatty acid chlorides, 357
Bowman, R. L. See *Karmen, Walker, and Bowman,* 103
———. See *Karmen, McCaffrey, and Bowman,* 108
Bradley, R. M. See *Robinson, Brady, and Bradley,* 144
Brady, R. O. See *Robinson, Brady, and Bradley,* 144
Brenner, R. R., D. V. Vazza, and **M. E. De Tomás.** Effect of a fat-free diet and of different dietary fatty acids (palmitate, oleate, and linoleate) on the fatty acid composition of fresh-water fish lipids, 341
Brockerhoff, H. Breakdown of phospholipids in mild alkaline hydrolysis, 96
Butler, A. See *Wong, Avigan, Raiford, Butler, and Vroman,* 477

C

Chaikoff, I. L. See *Lossow, Naidoo, and Chaikoff,* 419
Clayton, R. B., A. N. Nelson, and **I. D. Frantz, Jr.** The skin sterols of normal and triparanol-treated rats, 166
Cornwell, D. G. See *Guyer, Hoffman, Horrocks, and Cornwell,* 385
Crittenden, L. B. See *Yamamoto, Crittenden, Sokoloff, and Jay,* 413

D

Davis, L. L. See *Fredrickson, Ono, and Davis,* 24
Desai, I. D., and **A. L. Tappel.** Damage to proteins by peroxidized lipids, 204
DeSipin, M. See *Turner, Holburn, DeSipin, Silver, and Tocantins,* 52
Desnuelle, P., and **P. Savary.** Specificities of lipases, 369
De Tomás, M. E. See *Brenner, Vazza, and De Tomás,* 341
Deykin, D., and **M. Vaughan.** Release of free fatty acids by adipose tissue from rats treated with triiodothyronine or propylthiouracil, 200
Dobiášová, M. A simple method for the separation of minute amounts of tissue lipids by thin-layer chromatography and gas-liquid chromatography, 481

E

Eneroth, P. Thin-layer chromatography of bile acids, 11
Estes, E. H., Jr. See *Friedberg, Sher, Bogdonoff, and Estes,* 34
Evans, W. H., and **P. S. Mueller.** Effects of palmitate on the metabolism of leukocytes from guinea pig exudate, 39

F

Frantz, I. D., Jr. See *Clayton, Nelson, and Frantz,* 166
Fredrickson, D. S., K. Ono, and **L. L. Davis.** Lipolytic activity of post-heparin plasma in hyperglyceridemia, 24
Friedberg, S. J., P. B. Sher, M. D. Bogdonoff, and **E. H. Estes, Jr.** The dynamics of plasma free fatty acid metabolism during exercise, 34
Fritz, I. B., and **K. T. N. Yue.** Long-chain carnitine acyltransferase and the role of acylcarnitine derivatives in the catalytic increase of fatty acid oxidation induced by carnitine, 279

G

Garton, G. A. The composition and biosynthesis of milk lipids, 237
Goldrick, B., and **J. Hirsch.** A technique for quantitative recovery of lipids from chromatoplates, 482
Goodman, DeW. S. See *Avigan, Goodman, and Steinberg,* 100
———. See *Karmen, Whyte, and Goodman,* 312
———. See *Whyte, Karmen, and Goodman,* 322
Gore, I. Y. See *Schroepfer and Gore,* 266
Gottfried, E. L., and **M. M. Rapport.** The biochemistry of plasmalogens: II. Hemolytic activity of some plasmalogen derivatives, 57
Guyer, I. E., W. A. Hoffman, L. A. Horrocks, and **D. G. Cornwell.** Studies on the composition of glyceryl ethers and their preparation from diacyl glyceryl ethers in liver oils, 385

H

Hagen, J. H. The effect of insulin on concentration of plasma glycerol, 46
Hajra, A. K., and **N. S. Radin.** Isotopic studies of the biosynthesis of the cerebroside fatty acids in rats, 270
———, and ———. In vivo conversion of labeled fatty acids to the sphingolipid fatty acids in rat brain, 448
Harper, A. E. See *Seidel and Harper,* 75
Hashim, S. A. See *Krell and Hashim,* 407
Hawke, J. C. The distribution of fatty acids between the α'- and β-positions of the glycerophospholipids of buttermilk, 255
Hellman, L. See *Rosenfeld, Zumoff, and Hellman,* 337
Henderson, J. F. Studies on fatty liver induction by 4-aminopyrazolopyrimidine, 68
Hirsch, J. Factice chromatography: An automatically monitored, liquid-gel system for the separation of nonpolar lipids, 1
———. See *Goldrick and Hirsch* 482
Hirsch, R. L., D. Rudman, R. Ireland, and **R. K. Skraly.** Movement of free fatty acids into and out of the blood stream in normal rabbits and in rabbits injected subcutaneously with the pituitary adipokinetic substances, Fraction H and adrenocorticotropin, 289
Hoffman, W. A. See *Guyer, Hoffman, Horrocks, and Cornwell,* 385
Holburn, R. R. See *Turner, Holburn, DeSipin, Silver, and Tocantins,* 52
Holman, R. T. See *Mohrhauer and Holman,* 151
———. See *Mohrhauer and Holman,* 346
Holmes, W. L. See *Lin, Rubinstein, and Holmes,* 63
Horlick, L., and **J. Avigan.** Sterols of skin in the normal and triparanol-treated rat, 160
Horrocks, L. A. See *Guyer, Hoffman, Horrocks, and Cornwell,* 385

I

Ide, R. S. See *Neptune and Ide,* 226
Ireland, R. See *Hirsch, Rudman, Ireland, and Skraly,* 289

J

Jay, G. E., Jr. See *Yamamoto, Crittenden, Sokoloff, and Jay,* 413

J. Lipid Research, October 1963
Volume 4, Number 4

Author Index

Vol. 4, Nos. 1–4

A

Alfin-Slater, R. B. See *Morin, Shimma, Bernick, and Alfin-Slater,* 351
Ashworth, C. T., and **J. M. Johnston.** The intestinal absorption of fatty acid: A biochemical and electron microscopic study. 454
Avigan, J., D. S. Goodman, and **D. Steinberg.** Thin-layer chromatography on sterols and steroids, 100
———. See *Horlick and Avigan,* 160
———. See *Wong, Avigan, Raiford, Butler, and Vroman,* 477

B

Barclay, M. See *Skipski, Peterson, Sanders, and Barclay,* 227
Begemann, P. H. See *van der Ven, Begemann, and Schogt,* 91
Bernick, S. See *Morin, Shimma, Bernick, and Alfin-Slater,* 351
Bieber, L. L., and **R. W. Newburgh.** The incorporation of dimethylaminoethanol and dimethylamino*iso*propyl alcohol into *Phormia regina* phospholipids, 397
Bieri, J. G. See *Krishnamurthy and Bieri,* 330
Bishop, D. G., and **J. L. Still.** Fatty acid metabolism in *Serratia marcescens*: III. The constituent fatty acids of the cell, 81
———, and ———. Fatty acid metabolism in *Serratia marcescens*: IV. The effect of temperature on fatty acid composition, 87
Blank, M. L. See *Privett, Blank, and Romanus,* 260
———, and **O. S. Privett.** Studies on the metabolism of *cis,trans* isomers of methyl linoleate and linolenate, 470
Bogdonoff, M. D. See *Friedberg, Sher, Bogdonoff, and Estes,* 34
Borgström, B., and **L. Krabisch.** A note on the preparation of small quantities of labeled fatty acid chlorides, 357
Bowman, R. L. See *Karmen, Walker, and Bowman,* 103
———. See *Karmen, McCaffrey, and Bowman,* 108
Bradley, R. M. See *Robinson, Brady, and Bradley,* 144
Brady, R. O. See *Robinson, Brady, and Bradley,* 144
Brenner, R. R., D. V. Vazza, and **M. E. De Tomás.** Effect of a fat-free diet and of different dietary fatty acids (palmitate, oleate, and linoleate) on the fatty acid composition of fresh-water fish lipids, 341
Brockerhoff, H. Breakdown of phospholipids in mild alkaline hydrolysis, 96
Butler, A. See *Wong, Avigan, Raiford, Butler, and Vroman,* 477

C

Chaikoff, I. L. See *Lossow, Naidoo, and Chaikoff,* 419
Clayton, R. B., A. N. Nelson, and **I. D. Frantz, Jr.** The skin sterols of normal and triparanol-treated rats, 166
Cornwell, D. G. See *Guyer, Hoffman, Horrocks, and Cornwell,* 385
Crittenden, L. B. See *Yamamoto, Crittenden, Sokoloff, and Jay,* 413

D

Davis, L. L. See *Fredrickson, Ono, and Davis,* 24
Desai, I. D., and **A. L. Tappel.** Damage to proteins by peroxidized lipids, 204
DeSipin, M. See *Turner, Holburn, DeSipin, Silver, and Tocantins,* 52
Desnuelle, P., and **P. Savary.** Specificities of lipases, 369
De Tomás, M. E. See *Brenner, Vazza, and De Tomás,* 341
Deykin, D., and **M. Vaughan.** Release of free fatty acids by adipose tissue from rats treated with triiodothyronine or propylthiouracil, 200
Dobiášová, M. A simple method for the separation of minute amounts of tissue lipids by thin-layer chromatography and gas-liquid chromatography, 481

E

Eneroth, P. Thin-layer chromatography of bile acids, 11
Estes, E. H., Jr. See *Friedberg, Sher, Bogdonoff, and Estes,* 34
Evans, W. H., and **P. S. Mueller.** Effects of palmitate on the metabolism of leukocytes from guinea pig exudate, 39

F

Frantz, I. D., Jr. See *Clayton, Nelson, and Frantz,* 166
Fredrickson, D. S., K. Ono, and **L. L. Davis.** Lipolytic activity of post-heparin plasma in hyperglyceridemia, 24
Friedberg, S. J., P. B. Sher, M. D. Bogdonoff, and **E. H. Estes, Jr.** The dynamics of plasma free fatty acid metabolism during exercise, 34
Fritz, I. B., and **K. T. N. Yue.** Long-chain carnitine acyltransferase and the role of acylcarnitine derivatives in the catalytic increase of fatty acid oxidation induced by carnitine, 279

G

Garton, G. A. The composition and biosynthesis of milk lipids, 237
Goldrick, B., and **J. Hirsch.** A technique for quantitative recovery of lipids from chromatoplates, 482
Goodman, DeW. S. See *Avigan, Goodman, and Steinberg,* 100
———. See *Karmen, Whyte, and Goodman,* 312
———. See *Whyte, Karmen, and Goodman,* 322
Gore, I. Y. See *Schroepfer and Gore,* 266
Gottfried, E. L., and **M. M. Rapport.** The biochemistry of plasmalogens: II. Hemolytic activity of some plasmalogen derivatives, 57
Guyer, I. E., W. A. Hoffman, L. A. Horrocks, and **D. G. Cornwell.** Studies on the composition of glyceryl ethers and their preparation from diacyl glyceryl ethers in liver oils, 385

H

Hagen, J. H. The effect of insulin on concentration of plasma glycerol, 46
Hajra, A. K., and **N. S. Radin.** Isotopic studies of the biosynthesis of the cerebroside fatty acids in rats, 270
———, and ———. In vivo conversion of labeled fatty acids to the sphingolipid fatty acids in rat brain, 448
Harper, A. E. See *Seidel and Harper,* 75
Hashim, S. A. See *Krell and Hashim,* 407
Hawke, J. C. The distribution of fatty acids between the α'- and β-positions of the glycerophospholipids of buttermilk, 255
Hellman, L. See *Rosenfeld, Zumoff, and Hellman,* 337
Henderson, J. F. Studies on fatty liver induction by 4-aminopyrazolopyrimidine, 68
Hirsch, J. Factice chromatography: An automatically monitored, liquid-gel system for the separation of nonpolar lipids, 1
———. See *Goldrick and Hirsch* 482
Hirsch, R. L., D. Rudman, R. Ireland, and **R. K. Skraly.** Movement of free fatty acids into and out of the blood stream in normal rabbits and in rabbits injected subcutaneously with the pituitary adipokinetic substances, Fraction H and adrenocorticotropin, 289
Hoffman, W. A. See *Guyer, Hoffman, Horrocks, and Cornwell,* 385
Holburn, R. R. See *Turner, Holburn, DeSipin, Silver, and Tocantins,* 52
Holman, R. T. See *Mohrhauer and Holman,* 151
———. See *Mohrhauer and Holman,* 346
Holmes, W. L. See *Lin, Rubinstein, and Holmes,* 63
Horlick, L., and **J. Avigan.** Sterols of skin in the normal and triparanol-treated rat, 160
Horrocks, L. A. See *Guyer, Hoffman, Horrocks, and Cornwell,* 385

I

Ide, R. S. See *Neptune and Ide,* 226
Ireland, R. See *Hirsch, Rudman, Ireland, and Skraly,* 289

J

Jay, G. E., Jr. See *Yamamoto, Crittenden, Sokoloff, and Jay,* 413

Johnston, J. M. See *Ashworth and Johnston,* 454
Jover, A. A technique for the determination of serum glycerides, 228

K

Kandutsch, A. A. Metabolism of cholesta-4,7-dien-3-one and cholesta-4,6-dien-3-one by mouse liver microsomes, 179
Karmen, A., T. Walker, and **R. L. Bowman.** A sensitive method for quantitative microdetermination of lipids, 103
Karmen, A., I. McCaffrey, and R. L. Bowman. The validity of the results obtained when a stream-splitting device is used before the gas-liquid chromatography detector, 108
———, **M. Whyte, and DeW. S. Goodman.** Fatty acid esterification and chylomicron formation during fat absorption: 1. Triglycerides and cholesterol esters, 312
———. See *Whyte, Karmen, and Goodman,* 322
Kishimoto, Y., and **N. S. Radin.** Microdetermination, isolation, and gas-liquid chromatography of 2-hydroxy fatty acids, 130
———, and ———. Occurrence of 2-hydroxy fatty acids in animal tissues, 139
———, and ———. Structure of the normal unsaturated fatty acids of brain sphingolipids, 437
———, and ———. Biosynthesis of nervonic acid and its homologues from carboxyl-labeled oleic acid, 444
Korn, E. D. See *McBride and Korn,* 17
Krabisch, L. See *Borgström and Krabisch,* 357
Krell, K., and **S. A. Hashim.** Measurement of serum triglycerides by thin-layer chromatography and infrared spectrophotometry, 407
Krishnamurthy, S., and **J. G. Bieri.** The absorption, storage, and metabolism of α-tocopherol-C^{14} in the rat and chicken, 330
Kritchevsky, D., S. A. Tepper, E. Staple, and **M. W. Whitehouse.** Influence of sex and sex hormones on the oxidation of cholesterol-26-C^{14} by rat liver mitochondria, 188

L

Lands, W. E. M. See *Warner and Lands,* 216
Lin, T. H., R. Rubinstein, and **W. L. Holmes.** A study of the effect of D- and L-triiodothyronine on bile acid excretion of rats, 63
Lossow, W. J., S. S. Naidoo, and I. L. Chaikoff. Effect of heparin on disappearance of the cholesterol moiety of an injected cholesterol-C^{14}-labeled, very low-density chyle lipoprotein fraction from the circulation of the rat, 419
Lyman, R. L. See *Tinoco, Miljanich, and Lyman,* 359

M

Mattson, F. H., and **R. A. Volpenhein.** The specific distribution of unsaturated fatty acids in the triglycerides of plants, 392
McAuley, R. L. See *Oette, Peterson, and McAuley,* 212
McBride, O. W., and **E. D. Korn.** The lipoprotein lipase of mammary gland and the correlation of its activity to lactation, 17
McCaffrey, I. See *Karmen, McCaffrey, and Bowman,* 108
McCluer, R. H. See *Sambasivarao and McCluer,* 106
Michalec, Č. Paper chromatography of some cholesterol derivatives, 110
Miljanich, P. See *Tinoco, Miljanich, and Lyman,* 359
Minari, O., and **D. B. Zilversmit.** Behavior of dog lymph chylomicron lipid constituents during incubation with serum, 424
Mohrhauer, H., and **R. T. Holman.** The effect of dose level of essential fatty acids upon fatty acid composition of the rat liver, 151
———, and ———. The effect of dietary essential fatty acids upon composition of polyunsaturated fatty acids in depot fat and erythrocytes of the rat, 346
Morin, R. J., Y. Shimma, S. Bernick, and R. B. Alfin-Slater. Effects of palmitic, oleic, and linoleic acids on hepatic and vascular lipid deposits, 351
Morris, L. J. Fractionation of cholesterol esters by thin-layer chromatography, 357
Mueller, P. S. See *Evans and Mueller,* 39

N

Naidoo, S. S. See *Lossow, Naidoo, and Chaikoff,* 419
Nelson, A. N. See *Clayton, Nelson, and Frantz,* 166
Neptune, E. M., Jr., and **R. S. Ide.** Assay of the radioactivity of the aldehydogenic moiety of plasmalogens, 226
Nestel, P. J., and **D. Steinberg.** Fate of palmitate and of linoleate perfused through the isolated rat liver at high concentrations, 461
Newburgh, R. W. See *Bieber and Newburgh,* 397
Nichaman, M. Z., C. C. Sweeley, N. M. Oldham, and **R. E. Olson.** Changes in fatty acid composition during preparative thin-layer chromatography, 483
Nickell, E. C. See *Privett and Nickell,* 208

O

Oette, K., M. L. Peterson, and **R. L. McAuley.** A highly sensitive method for measurement of lipid hydroperoxides by iodimetry and amperometric endpoint, 212
Oldham, N. M. See *Nichaman, Sweeley, Oldham, and Olson,* 483
Olson, R. E. See *Nichaman, Sweeley, Oldham, and Olson,* 483
Ono, K. See *Fredrickson, Ono, and Davis,* 24

P

Peterson, M. L. See *Oette, Peterson, and McAuley,* 212
Peterson, R. F. See *Skipski, Peterson, Sanders, and Barclay,* 227
Privett, O. S., and **E. C. Nickell.** Stereoisomer formation on the ozonization of esters of monounsaturated fatty acids, 208
———, **M. L. Blank,** and **O. Romanus.** Isolation analysis of tissue fatty acids by ultramicro ozonolysis in conjunction with thin-layer chromatography and gas-liquid chromatography, 260
———. See *Blank and Privett,* 470

R

Radin, N. S. See *Kishimoto and Radin,* 130
———. See *Kishimoto and Radin,* 139
———. See *Hajra and Radin,* 270
———. See *Kishimoto and Radin,* 437
———. See *Kishimoto and Radin,* 444
———. See *Hajra and Radin,* 448
Raiford, R. L. See *Wong, Avigan, Raiford, Butler, and Vroman,* 477
Rapport, M. M. See *Gottfried and Rapport,* 57
Robinson, D. S. Changes in the lipolytic activity of the guinea pig mammary gland at parturition, 21
Robinson, J. D., R. O. Brady, and **R. M. Bradley.** Biosynthesis of fatty acids: IV. Studies with inhibitors, 144
Romanus, O. See *Privett, Blank, and Romanus,* 260
Rosenfeld, R. S., B. Zumoff, and L. Hellman. Metabolism of coprostanol-C^{14} and cholestanol-4-C^{14} in man, 337
Rubinstein, R. See *Lin, Rubinstein, and Holmes,* 63
Rudman, D. The adipokinetic action of polypeptide and amine hormones upon the adipose tissue of various animal species, 119
———. See *Hirsch, Rudman, Ireland, and Skraly,* 289
Sambasivarao, K., and **R. H. McCluer.** Thin-layer chromatographic separation of sphingosine and related bases, 106
Sanders, J. See *Skipski, Peterson, Sanders, and Barclay,* 227
Savary, P. See *Desnuelle and Savary,* 369
Schogt, J. C. M. See *van der Ven, Begemann, and Schogt,* 91
Schroepfer, G. J., Jr., and **I. Y. Gore.** Chromatographic separation of allylic alcohols on silicic acid columns: Analysis of the nonsaponifiable lipids of an ascites tumor derived from a benzpyrene induced sarcoma, 266
Seidel, J. C., and **A. E. Harper.** Diet and cholesterolemia: VII. Effects of methionine, ethionine, and *p*-fluorophenylalanine, 75
Sher, P. B. See *Friedberg, Sher, Bogdonoff, and Estes,* 34
Shimma, Y. See *Morin, Shimma, Bernick, and Alfin-Slater,* 351
Silver, M. J. See *Turner, Holburn, DeSipin, Silver, and Tocantins,* 52
Skipski, V. P., R. F. Peterson, J. Sanders, and M. Barclay. Thin-layer chromatography of phospholipids using silica gel without calcium sulfate binder, 227
Skraly, R. K. See *Hirsch, Rudman, Ireland, and Skraly,* 289
Sokoloff, L. See *Yamamoto, Crittenden, Sokoloff, and Jay,* 413
Sperry, W. M. Quantitative isolation of sterols, 221
Staple, E. See *Kritchevsky, Tepper, Staple, and Whitehouse,* 188
Steinberg, D. See *Avigan, Goodman, and Steinberg,* 100

———. See *Vaughan and Steinberg*, 193
———. See *Nestel and Steinberg*, 461
Still, J. L. See *Bishop and Still*, 81
———. See *Bishop and Still*, 87
Stock, K., and E. O. Westermann. Concentration of norepinephrine, serotonin, and histamine, and of amine-metabolizing enzymes in mammalian adipose tissue, 297
Strand, O. Effects of D- and L-triiodothyronine and of propylthiouracil on the production of bile acids in the rat, 305
Sweeley, C. C. Purification and partial characterization of sphingomyelin from human plasma, 402
———. See *Nichaman, Sweeley, Oldham, and Olson*, 484

T

Tappel, A. L. See *Desai and Tappel*, 204
Tepper, S. A. See *Kritchevsky, Tepper, Staple, and Whitehouse*, 188
Tinoco, J., P. Miljanich, and R. L. Lyman. Stability of lipids in lyophilized rat livers, 359
Tocantins, L. M. See *Turner, Holburn, DeSipin, Silver, and Tocantins*, 52
Turner, D. L., R. R. Holburn, M. DeSipin, M. J. Silver, and **L. M. Tocantins.** Thromboplastic activity of phosphatidylethanolamine from natural and synthetic sources, 52

V

van der Ven, B., P. H. Begemann, and **J. C. M. Schogt.** Precursors of methyl ketones in butter, 91
Vaughan, M., and **D. Steinberg.** Effect of hormones on lipolysis and esterification of free fatty acids during incubation of adipose tissue in vitro, 193
———. See *Deykin and Vaughan*, 200
Vazza, D. V. See *Brenner, Vazza, and De Tomás*, 341
Volpenhein, R. A. See *Mattson and Volpenhein*, 392
Vroman, H. E. See *Wong, Avigan, Raiford, Butler, and Vroman*, 477

W

Walker, T. See *Karmen, Walker, and Bowman*, 103
Warner, H. R., and **W. E. M. Lands.** Metabolism of plasmalogen: II. The determination of alkenyl ethers in the presence of free aldehydes, 216
Ways, P. Glass fiber paper strip charring: A rapid and simple method for monitoring column chromatography on lipids, 101
Westermann, E. O. See *Stock and Westermann*, 297
Whitehouse, M. W. See *Kritchevsky, Tepper, Staple, and Whitehouse*, 188
Whyte, M. See *Karmen, Whyte, and Goodman*, 312
———, **A. Karmen, and DeW. S. Goodman.** Fatty acid esterification and chylomicron formation during fat absorption: 2. Phospholipids, 322
Wong, H. Y. C., J. Avigan, R. L. Raiford, A. Butler, and **H. E. Vroman.** Effect of triparanol on atherosclerosis and on sterol composition and concentration in serum and aorta of the chicken, 477

Y

Yamamoto, R. S., L. B. Crittenden, L. Sokoloff, and **G. E. Jay, Jr.** Genetic variations in plasma lipid content in mice, 413
Yue, K. T. N. See *Fritz and Yue*, 279

Z

Zilversmit, D. B. See *Minari and Zilversmit*, 424
Zumoff, B. See *Rosenfeld, Zumoff, and Hellman*, 337

J. Lipid Research, October 1963
Volume 4, Number 4

Subject Index

Vol. 4, Nos. 1-4

(NM) = Notes on Methodology (Rev) = Review

A

ACTH see Pituitary hormones, Adrenocorticotropin

Absorption: Intestinal; of fatty acid biochemical and electron microscopic study, *Ashworth and Johnston,* 454

Adipokinetic action: Of polypeptide and amine hormones upon adipose tissue, (Rev) *Rudman,* 119

Adipose tissue: Adipokinetic action of polypeptide and amine hormones upon, (Rev) *Rudman,* 119

—: —: Lipolysis and esterification of free fatty acids in vitro, effects of hormones, *Vaughan and Steinberg,* 193

—: —: Mammalian; biogenic amines, and amine - metabolizing enzymes, *Stock and Westermann,* 297

—: —: Release of free fatty acids from; in rats treated with triiodothyronine or propylthiouracil, *Deykin and Vaughan,* 200

Adrenocorticotropin: Injection of; movement of free fatty acids into and out of blood stream in rabbits and, *Hirsch, Rudman, Ireland, and Skraly,* 289

Alkenyl ethers see Plasmalogen

Allylic alcohols: Separation of silicic acid columns, *Schroepfer and Gore,* 266

Amperometric endpoint: Measurement of lipid hydroperoxides by, *Oette, Peterson, and McAuley,* 212

4-Aminopyrazolopyrimidine: Effects on plasma lipids, *Henderson,* 72

—: Effects on protein and RNA synthesis, *Henderson,* 72

—: Fatty liver induction and, *Henderson,* 68

Arachidonic acid: Comparison of rat liver fatty acids as related to dose level of, *Mohrhauer and Holman,* 151

—: —: In fresh-water fish, diet and, *Brenner, Vazza, and De Tomas,* 341

Ascites tumor: Analysis of nonsaponifiable lipids of, *Schroepfer and Gore,* 266

Azide decarboxylation: apparatus for, *Hajra and Radin,* 271

B

Bile acids: Excretion in rats; D- and L-triidothyronine and, *Lin, Rubinstein, and Holmes,* 63

—: —: Production in the rat; D- and L-triiodothyronine, propylthiourea and, *Strand,* 305

—: —: Relative mobilities in different solvent systems, *Eneroth,* 13

—: —: Thin-layer chromatography of, *Eneroth,* 11

Blood lipids: Increased; lipolytic activity of post-heparin plasma in, *Frederickson, Ono, and Davis,* 24

Blood vessels: Lipid deposits; palmitic oleic and linoleic acids and, *Morin, Shimma, Bernick, and Alfinslater,* 351

Bovin plasma: Occurrence of 2-hydroxy fatty acids in, *Kishimoto and Radin,* 130

Brain: In vivo conversion of labeled fatty acids to the sphingolipid fatty acids, *Hajra and Radin,* 448

Brain lipids: 2-Hydroxy fatty acids from, isolation and microdetermination, *Kishimoto and Radin,* 130

Butter: Methyl ketones of; precursors of, *van der Ven, Begemann, and Schogt,* 91

Buttermilk: Distribution of fatty acids between α' and β-positions of glycerophospholipids, *Hawke,* 255

C

Caffeine: Effects of lipolysis and esterification in adipose tissue in vitro, *Vaughan and Steinberg,* 195

Carnitine: Role of derivatives in increased fatty acid oxidation, *Fritz and Yue,* 279

Carnitine acyltransferase: Long chain; role of acylcarnitine derivatives in fatty acid oxidation induced by carnitine, *Fritz and Yue,* 279

Catechol-O-methyltransferase see Enzymes: Amine-metabolizing

Cerebronic acid: In vivo conversion to brain sphingolipid fatty acids, *Hajra and Radin,* 448

Crebroside fatty acids: Isotopic studies of biosynthesis, *Hajra and Radin,* 270

Chicken: α-Tocopherol-C^{14} in; absorption, storage and metabolism, *Krishnamurthy and Bieri,* 330

Chlorides, labeled: Of fatty acids; preparation of small quantities (NM), *Borgstrom and Krabisch,* 357

Cholesta-4,6-dien-3-one: Metabolism by mouse liver microsomes, *Kandutsch,* 179

Cholesta-4,7-dien-3-one: Metabolism by mouse liver microsomes, *Kandutsch,* 179

Cholestan-3β-ol: Quantitative isolation of, *Sperry,* 221

Cholestanol-4-C^{14}: Metabolism in man, *Rosenfeld, Zumoff, and Hellman,* 337

Cholesteremia: Diet and, effects of methionine ethionine and *p*-fluorophenylalanine, *Seidel and Harper,* 75

Cholesterol: Biosynthesis effect of triparanol, *Clayton, Nelson, and Frantz,* 166

—: —; in mouse liver microsomes, *Kandutsch,* 179

—: Derivatives; paper chromatography of, *Michalec,* 110

—: Esters of; factice chromatography of, *Hirsch,* 6, 7

—: —; fat absorption and; fatty acid esterification and chylomicron formation, *Karmen, Whyte, and Goodman,* 312

—: —; fatty acids of dog adrenal and human serum, *Nichman, Sweeley, Oldman, and Olson,* 484

Cholesterol: Labeled; low-density chyle lipoprotein fraction, disappearance from circulation, heparin and, *Lossow, Naidoo, and Chaikoff,* 419

Cholesterol: Metabolism by liver mitochondria; influence of sex and sex hormones, *Kritchevsky, Tepper, Staple, and Whitehouse,* 188

Cholesterol: Quantitative isolation of, *Sperry,* 221

Choline: Effects on growth and serum cholesterol in animals given ethionine, *Seidel and Harper,* 77

Chromatography: Column; of lipids; monitoring by glass fiber paper strip charring, *Ways,* 101

Chromatography: Fatice; liquid-gel system for separation of non-polar lipids, automatically monitored, *Hirsch,* 1

Chromatography: Gas-liquid; Micro-determination, isolation of 2-hydroxy fatty acids, *Kishimoto and Radin,* 130

—: —; of tissue fatty acids in conjunction with ultramicro-ozonolysis and thin layer chromatography, *Privett, Blank, and Romanus,* 260

—: —; simple method for the separation of minute amounts of tissue liquids (NM), *Dobiasova,* 481

—: —; use of stream splitting device before (NM), *Karmen, McCafferty, and Bowman,* 108

—: Paper; of cholesterol derivatives (NM), *Michalec,* 110

—: Thin-layer; changes in fatty acid composition during, *Nichaman, Sweeley, Oldham, and Olson,* 484

—: —; fractionation of cholesterol esters (NM), *Morris,* 357

—: —; measurement of serum triglycerides by infrared spectrophotometry, *Krell and Hashim.*

—: —; method for the separation of minute amounts of tissue lipids (NM), *Dobioasova,* 481

—: —; of bile acids, *Eneroth,* 11

—: —; of phospholipids using silica gel without calcium sulfate binder (NM), *Skipski, Peterson, Sanders, and Barclay,* 227

—: —; of sphingosine and related bases, (NM), *Sambasivarao and McCluer,* 106

—: —; of sterols and steroids (NM), *Avigan, Goodman, and Steinberg,* 100

—: —; of tissue fatty acids in conjunction with ultramicro-ozonolysis and gas-liquid chromatography, *Privett, Blank, and Romanus,* 260
Chromatoplasts: technique for quantitative recovery of lipids from (NM), *Goldrick and Hirsch,* 482
Chyle lipoprotein fraction: Disappearance from circulation, heparin and, *Lossow, Naidoo, and Chaikoff,* 419
Chylomicrons: Formation, and fatty acid esterification during fat absorption; phospholipids and, *Whyte, Karmen, and Goodman,* 322
—: — — —; triglycerides, cholesterol esters and, *Karmen, Whyte, and Goodman,* 312
—: Mechanism of removal from circulation, *Minari and Zilversmit,* 424
Coprostanol-C^{14}: Metabolism in man, *Rosenfeld, Zumoff, and Hellman,* 337
Cow: Fatty acids of milk lipids (Rev), *Garton,* 239
Cystine: Effects of growth and serum cholesterol in animals given ethionine, *Seidel and Harper,* 77
Cytochrome c: Damage caused by peroxidized lipids, *Desai and Tappel,* 204

D

Depot fat: Polyunsaturated fatty acids of; dietary essential fatty acids and, *Mohrhauer and Holman,* 346
Diacyl glyceryl ethers: In liver oils; composition of glyceryl ethers and their preparation from, *Guyer, Hoffman, Horrocks, and Cornwell,* 385
Diet: Cholesteremia and, *Seidel and Harper,* 75
—: Hyperglyceridemia; lipolytic activity of post-heparin plasma and, *Frederickson, Ono, and Davis,* 24
Digitonides: Recovery of sterol as, *Sperry,* 221
Dimethylaminoethanol: Incorporation into *Phormia regina* phospholipids, *Bieber and Newburgh,* 397
Dimethylaminoisopropyl alcohol: Incorporation into *Phormia regina* phospholipids, *Bieber and Newburgh,* 397
Dog: Adipokinetic action of various hormones, *Rudman,* 119
—: Behavior of lymph chylomicron lipid constituents during incubation with serum, *Minari and Zilversmit,* 424
—: Cholesterol of adrenal glands (NM), *Nichaman, Sweeley, Oldham, and Olson,* 484

E

Egg laying: Effects of triparanol in pullets, *Wong, Avigan, Raiford, and Butler,* 477
Eicosatrienoic acid: In fresh-water fish, diet and, *Brenner, Vazza, and De Tomás,* 341
Electron microscopy: Intestinal absorption of fatty acid, *Ashworth and Johnston,* 454
Enzymes: Amine-metabolizing; concentration in mammalian adipose tissue, *Stock and Westermann,* 297
Epinephrine: Adipokinetic action upon adipose tissue, *Rudman,* 119
—: Effects on lipolysis and esterification of free fatty acids from adipose tissue in vitro, *Vaughan and Steinberg,* 193
Erythrocytes: Polyunsaturated fatty acids in; dietary essential fatty acids and, *Mohrhauer and Holman,* 346
Esterification: Of free fatty acids of adipose tissue in vitro; effects of hormones, *Vaughan and Steinberg,* 193
Ethionine: Cholesteremia and, *Seidel and Harper,* 75
Exercise: Plasma free fatty acid metabolism, dynamics of, *Friedberg, Sher, Bogdonoff, and Estes,* 34

F

Fat absorption: Fatty acid esterification and chylomicron formation; triglycerides and cholesterol esters, *Karmen, Whyte, and Goodman,* 312
—: —; phospholipids and, *Whyte, Karmen, and Goodman,* 322
Fat deficiency: Symptoms, as related to dose level of essential fatty acids, *Mohrhauer and Holman,* 153
Fat free diet: Body lipid composition of fresh-water fish and, *Brenner, Vazza,* and *De Tomás,* 341
Fatty acid metabolism: Schema of site of action of carnitine, *Fritz and Yue,* 287
Fatty acid oxidation: Catalytic increase; role of carnitine acyltransferase and acylcarnitine derivatives, *Fritz and Yue,* 279
Fatty acids: A-V differences in various body areas; glucose and, *Hirsch, Rudman, Ireland, and Skraly,* 291
— —: Biosynthesis; studies with inhibitors, *Robinson, Brady, and Bradley,* 144
— —: Cerebroside; isotopic studies of biosynthesis, *Hajra and Radin,* 270
— —: Composition of rat liver as related to dose level of essential fatty acids, *Mohrhauer and Holman,* 151
— —: Composition of sample; changes in, during preparative thin-layer chromatography, *Nichamen, Sweeley, Oldham, and Olson* 484
— —: Dietary essential; composition of depot fat and erythrocytes in the rat and, *Mohrhauer and Holman,* 346
— —: Distribution; between the α'- and β-positions of the glycero phospholipids of buttermilk, *Hawke,* 255
— —: Essential; liver composition as related to dose level, *Mohrhauer and Holman,* 151
— —: Esterification and chylomicron formation during fat absorption; phospholipids and, *Whyte, Karmen, and Goodman,* 322
— —: —; triglycerides, cholesterol esters and, *Karmen, Whyte, and Goodman,* 312
— —: Free; lipolysis and esterification in adipose tissue, effects of hormones in vitro, *Vaughan Steinberg,* 193
— —: —; movement in and out of blood stream in animals injected with pituitary extracts, *Hirsch, Rudman, Ireland, and Skraly,* 289
— —: —; of plasma, metabolism during exercise, *Friedberg, Sher, Bogdonoff, and Estes, Jr.,* 34
— —: —; release from adipose tissue from rats treated with triiodothyronine or propylthiouracil, *Deykin and Vaughan,* 200
— —: 2-Hydroxy; occurrence in animal tissues, *Kishimoto and Radin,* 130
— —: 2-Hydroxy; gas-liquid chromatography, microdetermination and isolation, *Kishimoto and Radin,* 130
— —: Intestinal absorption; biochemical and electron microscopic study, *Ashworth and Johnston,* 454
— —: Labeled chlorides of; preparation of small quantities (NM), *Borgström and Krabisch,* 357
— —: Labeled; in vivo conversion to the sphingolipid fatty acids in rat brain, *Hajra and Radin,* 448
— —: Monosaturated; stereoisomer formation on the ozonization of, *Privett and Nickell,* 208
— —: Of cell of *Serratia marcescens, Bishop and Still,* 81
— —: Of cell of *Serratia marcescens;* effect of temperature, *Bishop and Still,* 87
— —: Of milk, origin, *Garton,* 244
— —: Polyunsaturated; in depot fat and erythrocytes; dietary essential fatty acids and, *Mohrhauer and Holman,* 346
— —: Sphingolipid; in vivo conversion of labeled fatty acids in rat brain, *Hajra and Radin,* 448
— —: Tissue; isolation analysis of, *Privett, Blank, and Romanus,* 260
— —: Unsaturated; of brain sphingolipids, structure of, *Kishimoto and Radin,* 437
— —: —; specific distribution of, in triglycerides of plants, *Mattson and Volpenhein,* 392
Fish, fresh-water: Lipids of; dietary lipids and, *Brenner, Vazza, and De Thomas,* 341
Fish liver oils: composition of glyceryl ethers in, *Guyer, Hoffman, Horrocks, and Cornwell,* 385
Fluoride: Effects on lipolysis and esterification of free fatty acids from adipose tissue in vitro, *Vaughan and Steinberg,* 193
***p*-Fluorophenylalanine:** Cholesteremia and, *Seidel and Harper,* 75
Fraction H: Adipokinetic action upon adipose tissue, *Rudman,* 119
— —: Injection of; movement of free fatty acids into and out of blood stream in rabbits and, *Hirsch, Rudman, Ireland, and Skraly,* 289

G

Gas-liquid chromatography see Chromatography: Gas-liquid:
Genetic Variations: In plasma lipid content in mice, *Yamamoto, Crittenden, Sokoloff, and Jay,* 413
GH see Pituitary hormones
Glucagon: Adipokinetic action upon adipose tissue, *Rudman,* 119
— —: Effects on lipolysis and esterification of free fatty acids from adipose tissue in vitro, *Vaughan and Steinberg,* 193
Glucose: A-V differences in various body areas, pituitary preparations and, *Hirsch, Rudman, Ireland, and Skraly,* 394
—: Uptake; by various leukocyte types, *Evans and Mueller,* 43
Glycerides: Of milk; source of, *Garton,* 247

—: Of serum; determination of (NM), *Jover*, 228
Glycerides, partial: Factice chromatography of, *Hirsch*, 8
Glycerol, of plasma: Effect of insulin on concentration, *Hagen*, 46
Glycerophospholipids: Of butter milk; distribution of fatty acids between the α' and β-positions of, *Hawke*, 255
Glyceryl ethers: Composition and preparation from diacyl glyceryl ethers in liver oils, *Guyer, Hoffman, Horrocks, and Cornwell*, 385
Goat: Fatty acids of milk lipids, *Garton*, 239
Growth: Relation to dose level of essential fatty acids, *Mohrhauer and Holman*, 253
Guinea pig: Adipokinetic action of various hormones, *Rudman*, 119
— —: Lipoprotein lipase of mammary gland; correlation with lactation, *Eneroth*, 13
— —: Mammary gland; lipolytic activity at parturition, *Robinson*, 21
—: Metabolism of palmitate and leukocytes of exudate, *Evans and Mueller*, 39

H

Hamster: Adipokinetic action of various hormones, *Rudman*, 119
Heart: Lipids of; aldehydes found in, *Warner and Lands*, 216
Heart mitochondria: carnitine-H_3 incorporation into palmityl carnitine, *Fritz and Yue*, 383
Hemolytic activity: Of plasmalogen derivatives, *Gottfried and Rapport*, 57
Heparin: Effect of, on disappearance of the cholesterol moiety of an injected cholesterol-C^{14}-labeled, very low-density chyle lipoprotein fraction from the circulation of the rat, *Lossow, Naidoo, and Chaikoff*, 419
Histamine: Concentration in mammalian adipose tissue, *Stock and Westermann*, 297
Horse: Fatty acids of milk lipids, *Garton*, 239
Hydrolysis, mild alkaline: Phospholipid breakdown in, *Brockerhoff*, 96
Hyperglyceridemia: Diet and, lipolytic activity of post-heparin plasma, *Frederickson, Ono, and Davis*, 24
— —: Lipolytic activity of post-heparin plasma, *Frederickson, Ono, and Davis*, 24

I

Insulin: Effect on concentration of plasma glycerol, *Hagen*, 46
Iodimetry: Measurement of lipid hydroperoxides by, *Oette, Peterson, and McAuley*, 212

K

Kidney: Occurrence of 2-hydroxy fatty acids in, *Kishimoto and Radin*, 130

L

Lactation: Relation to lipoprotein lipase of mammary gland, *McBride and Korn*, 17
Leukocytes: Metabolism; effects of glucose, dinitrophenol and anaerobiosis on, *Evans and Mueller*, 42
—: Of guinea pig exudate; metabolism of palmitate and, *Evans and Mueller*, 39
Linoleic acid: Composition of rat liver fatty acids as related to dose level of, *Mohrhauer and Holman*, 151
— —: Hepatic and vascular lipid deposits and, *Morin, Shimma Bernick, and Alfin-Slater*, 351
— —: In diet of fresh-water fish; body lipid composition and, *Brenner, Vazza, and De Tomás*, 341
— —: In fresh-water fish, diet and, *Brenner, Vazza, and De Tomás*, 341
— —: Liver glycerides and perfusate glyceride concentration and, *Nestel and Steinberg*, 46
— —: Metabolism, perfusion through the isolated rat liver at high concentrations, *Nestel and Steinberg*, 461
— —: Methyl ester; metabolism of *cis, trans* isomers and linolenate, *Blank and Privett*, 470
— —: Composition of rat liver fatty acids as related to dose level of, *Mohrhauer and Holman*, 151
— —: Methyl ester; metabolism of, and of *cis, trans* isomers of methyl linoleate, *Blank and Privett*, 470
Lipase, lipoprotein: Of mammary gland; correlation to lactation, *McBride and Korn*, 17
Lipases: Enzymatic activities attributed to (Rev), *Desnuelle and Savary*, 369
Lipase, lipoprotein: Of mammary gland; correlation to lactation, *McBride and Korn*, 17
Lipids: Column chromatography, monitoring by glass fiber paper strip charring, *Ways*, 101
—: From chromatoplates; technique for quantitative recovery (NM), *Goldrick and Hirsch*, 482
—: Of fresh-water fish; dietary fatty acid and, *Brenner, Vazza, and De Tomás*, 341
—: Of plasma; 4-aminopyrazolpyrimidine and, *Henderson*, 72
—: —; genetic variations in content in mice, *Yamamoto, Crittenden, Sokoloff, and Jay*, 413
—: Peroxidized; damage to proteins by *Desai and Tappel*, 204
—: Quantitative microdetermination of, a sensitive method, *Karmen, Walker, and Bowman*, 103
—: Tissue; method for the separation of minute amounts by chromatography (NM), *Dobiášová*, 481
Lipid deposits: Vascular and hepatic; palmitic, oleic and linoleic acids and, *Morin, Shimma, Bernick, and Alfin-Slater*, 351
Lipid hydroperoxides: Measurement by iodimetry and amperometric end point, *Oetta, Peterson, and McAuley*, 212
Lipids, nonpolar: Liquid-gel system for separation of, automatically monitored, *Hirsch*, 1
Lipolysis: Of free fatty acids of adipose tissue in vitro; effects of hormones, *Vaughan and Steinberg*, 193
Lipolytic activity: Guinea pig mammary gland; at parturition, *Robinson*, 21
— —: Post-heparin plasma in hyperglyceridemia, *Frederickson, Ono, and Davis*, 24
Lipoprotein lipase: Of mammary gland; correlation to lactation, *McBride and Korn*, 17
Liquid-gel system: Separation on nonpolar liquids by, *Hirsch*, 1
Liver: Cholesterol metabolism in mitochondria as influenced by sex and sex hormones, *Kritchevsky, Tepper, Staple, and Whitehouse*, 188
—: Fatty acid composition; dose level of essential fatty acids and, *Mohrhauer and Holman*, 151
—: Incubation of slices; uptake of labeled linoleate and palmitate, *Nestel and Steinberg*, 461
—: Lipid deposits; palmitic, oleic, linoleic acids and, *Morin, Shimma, Bernick, and Alfin-Slater*, 351
—: Lyophilized; stability of lipids in (NM), *Tinoco, Miljanich, and Lyman*, 359
—: Metabolism; fate of palmitate and linoleate perfused through at high concentrations, *Nestel and Steinberg*, 461
—: Metabolism of linoleate and linolenate isomers, *Blank and Privett*, 470
—: Microsomes; cholesterol biosynthesis in mouse, *Kandutsch*, 179
Liver, fatty: Induction; by 4-aminopyrazolopyrimidine, *Henderson*, 68
Liver oils: Composition of glyceryl ethers and their preparation from diacyl glyceryl ethers, *Guyer, Hoffman, Horrocks, and Cornwell*, 385
Lung: Occurrence of 2-hydroxy fatty acids in, *Kishimoto and Radin*, 130
Lymph chylomicron: Lipid constituents; behavior during incubation with serum, *Minari and Zilversmit*, 424
Lyophilization: Liver; stability of lipids and (NM), *Tinoco, Miljanich, and Lyman*, 359
Lysophosphatides: Fatty acid chains in, *Gottfried and Rapport*, 60

M

Mammary gland: Guinea pig; lipolytic activity at parturition, *Robinson*, 21
— —: Lipoprotein lipase of, relation to lactation, *McBride and Korn*, 17
Man: Cholesterol esters of serum, *Nichaman, Sweeley, Oldham, and Olson*, 484
—: Fatty acids of milk lipids, *Garton*, 239
—: Free fatty acid metabolism, during exercise, *Fredberg, Sher, Bogdonoff, and Estes, Jr.*, 34
—: Hyperglyceridemia, diet and, *Frederickson, Ono, and Davis*, 24
—: Metabolism of labeled coprostanol and cholestanol in, *Rosenfeld, Zumoff, and Hellman*, 337
—: Serum triglycerides in frequency distribution, *Krell and Hashim*, 407
Metabolism: Cholesterol biosynthesis, in mouse liver microsomes, *Kandutsch*, 179
—: Cholesterol; in liver mitochrondria as influenced by sex and sex hormones, *Kritchevsky, Tepper, Staple, and Whitehouse*, 188
—: Fatty acid; in *Serratia marcescens*, constituent of cell, *Bishop and Still*, 81
—: Fatty acid; in *Serratia marcescens*, effect of temperature, *Bishop and Still*, 87
—: Leukocytes of guinea pig exudate, palmitate and, *Evans and Muller*, 39
—: Methyl linolenate, *cis, trans*

isomers and, of linoleate, *Blank and Privett*, 470
—: Of plasmalogens; determination of in presence of free aldehydes, *Warner and Lands*, 216
—: Plasma free fatty acids; during exercise, *Friedberg, Sher, Bogdonoff, and Estes, Jr.*, 34
Methionine: Cholesteremia and, *Seidel and Harper*, 75
Methyl ketones: Precursors of; in butter, *van der Ven, Begemann, and Schogt*, 91
Methyl linoleate: Metabolism of isomers in liver, *Blank and Privett*, 470
Mouse: Cholesterol biosynthesis by liver microsomes, *Kandutsch*, 179
—: Genetic variations in plasma lipid content, *Yamamoto, Crittenden, Sokoloff, and Jay*, 413
Microsomes: Liver; cholesterol biosynthesis in mouse, *Kandutsch*, 179
Milk lipids: Composition and biosynthesis of (Rev), *Garton*, 237
— —: Fatty acid composition in various mammals (Rev), *Garton*, 239
— —: Relation to diet and digestion (Rev.), *Garton*, 249
Mitochondria: Liver; cholesterol metabolism as influenced by sex and sex hormones, *Kritchevsky, Tepper, Staple, and Whitehouse*, 188
Monoamine oxidase see Enzymes: Amine-metabolizing

N

Nervonic Acid: Biosynthesis of; from carboxyl-labeled oleic acid, *Kishimoto and Radin*, 444
Nialamide: Mobilization of biogenic amines in adipose tissue, *Stock and Westermann*, 302
Norepinephrine: Adipokinetic action upon adipose tissue, *Rudman*, 119
—: Concentration in mammalian adipose tissue, *Stock and Westermann*, 297

O

Oleic Acid: Carboxyl-labeled; biosynthesis of nervonic acid and its homologues, *Kishimoto and Radin*, 444
— —: Hepatic and vascular lipid deposits and, *Morin, Shimma, Bernick, and Alfin-Slater*, 351
— —: In diet of fresh-water fish; body lipid composition and, *Brenner, Vazza, and De Tomás*, 341
— —: In fresh-water fish, diet and, *Brenner, Vazza, and De Tomás*, 341
Ozonization: Stereoisomer formation of esters of monosaturated fatty acids, *Privett and Nickell*, 208

P

Palmitic acid: Hepatic and vascular lipid deposits and, *Morin, Shimma, Bernick, and Alfin-Slater*, 351
— —: In diet of fresh-water fish; body lipid decomposition and, *Brenner, Vazza, and De Tomás*, 341
— —: In fresh-water fish, diet and, *Brenner, Vazza, and De Tomás*, 341
— —: In vivo conversion to brain sphingolipid fatty acids, *Hajra and Radin*, 448
— —: Liver glycerides and perfusate glyceride concentration and, *Nestel and Steinberg*, 461
— —: Metabolism of leukocytes from guinea pig exudate, *Evans and Muller*, 39
— —: Metabolism; perfusion of isolated rat liver at high concentrations, *Nestel and Steinberg*, 461
— —: Presence in sphingomyelin from human plasma, *Sweeley*, 402
Palmitoleic acid: In fresh-water fish, diet and, *Brenner, Vazza, and De Tomás*, 341
Parturition: Lipolytic activity of mammary gland, *Robinson*, 21
Phormia regina: Phospholipids of; incorporation of dimethylaminoethanol and dimethylamino*iso*propyl alcohol, *Bieber and Newburgh*, 397
Phosphatides: Schema of structure, *Gottfried and Rapport*, 58
Phosphatidylethanolamine: Thromboplastic activity of, *Turner, Holburn, DeSipin, Silver, and Tocantins*, 52
Phospholipids: Breakdown; in mild alkaline hydrolysis, *Brockerhoff*, 96
—: Of *Phormia regina;* incorporation of diethylaminoethanol and dimethylaminoisopropyl alcohol, *Bieber and Newburgh*, 397
—: Thin-layer chromatography of, using silica gel without calcium sulfate binder (NM), *Skipski, Peterson, Sanders, and Barclay*, 227
Pig: Adipokinetic action of various hormones, *Rudman*, 119
Pituitary adipokinetic substances: injection of; movement of free fatty acids into and out of blood stream in rabbits and, *Hirsch, Rudman, Ireland, and Skraly*, 289
Pituitary hormones: Adipokinetic action upon adipose tissue (Rev), *Rudman*, 119
— —: Effects on lipolysis and esterification of free fatty acids from adipose tissue in vitro, *Vaughan and Steinberg*, 193
Plants: Triglycerides of, distribution, *Matteson and Volpenhein*, 392
Plasma: Human, purification and partial characterization of sphingomyelin from, *Sweeley*, 402
—: Post-heparin; lipolytic activity of, in hyperglyceridemia, *Frederickson, Ono, and Davis*, 24
Plasma cholesterol: Of mice, fasted, and non-fasted in various genetic groups, *Yanamoto, Crittenden, Sokoloff, and Jay*, 413
Plasma lipoproteins: Ultracentrifugally-separated; percentage of C^{14} of injected cholesterol-4-C^{14} recovered, *Lossow, Naidoo, and Chaikoff*, 419
Plasmalogens: Assay of radioactivity in aldehydogenic moiety [NM], *Neptune and Ide*, 226
—: Derivatives; hemolytic activity of *Gottfried and Rapport*, 57
—: Metabolism of; determination of alkenyl ethers in the presence of free aldehydes, *Warner and Lands*, 216
Propiolyl-CoA: Inhibition of fatty acid synthesis by, *Robinson, Brady, and Bradley*, 144
Propylthiouracil: Bile acid production in the rat and, *Strand*, 305
—: Release of free fatty acids from adipose tissue of rats treated with, *Deykin and Vaughan*, 200
Protein: Damage caused by peroxidized lipids, *Desai and Tappel*, 204

R

Rabbit: Adipokinetic action of various hormones, *Rudman*, 119
—: Movement of free fatty acids into and out of blood stream; injection of pituitary derivatives and, *Hirsch, Rudman, Ireland, and Skraly*, 289
Rat: Adipokinetic action of various hormones, *Rudman*, 119
—: Bile acid excretion; D- and L-triiodothyronine and, *Lin, Rubinstein, and Holmes*, 63
—: Bile acid production; thyroid function and, *Strand*, 305
—: Brain; in vivo conversion of labeled fatty acids to sphingolipid fatty acids, *Hajra and Radin*, 448
—: Cerebroside fatty acids in, *Hajra and Radin*, 270
—: Dietary essential fatty acids and body fat composition, *Mohrhauer and Holman*, 346
—: Effect of heparin on disappearance of the cholesterol of low-density chyle lipoprotein fraction from the circulation, *Lossow, Naidoo, and Chaikoff*, 000
—: Livers, lyophilized; stability of lipids in, (NM), *Tinoco, Miljanich, and Lyman*, 359
—: Sterols of skin, *Clayton, Nelson, and Frantz*, 166
—: Sterols of skin, *Horlick and Avigan*, 160
—: Thyroid activity and release of free fatty acids from adipose tissue, *Deykin and Vaughan*, 200
—: Tissues; occurrence of 2-hydroxy fatty acids, *Kishimoto and Radin*, 130
—: α-Tocopherol-C^{14} in; absorption, storage and metabolism, *Krishnamurthy and Bieri*, 330
—: Triparanol treated; skin sterols of, *Clayton, Nelson, and Frantz*, 166
—: Triparanol treated; skin sterols of, *Horlick and Avigan*, 160
Reserpine: Mobilization of biogenic amines in mammalian adipose tissue, *Stock and Westermann*, 301
RNA synthesis: 4-aminopropyrazolopyrimidine and, *Henderson*, 72

S

Sarcoma, benzpyrene-induced: Nonsaponifiable lipids of ascites tumor derived from, *Privett, Blank, and Romanus*, 266
Sciatic nerve: Occurrence of 2-hydroxy fatty acids in, *Kishimoto and Radin*, 130
Seal: Fatty acids of milk lipids (Rev), *Garton*, 239
Serotonin: Concentration in mammalian adipose tissue, *Stock and Westermann*, 297
Serratina marcescens: Fatty acid composition of cell; *Bishop and Still*, 81
— —: — — —; effect of temperature, *Bishop and Still*, 87
Serum: Incubation of lymph chylomicron lipid constituents with, *Minari and Zilversmit*, 424
Serum glycerides: Determination of (NM), *Jover*, 228
Serum lipids: Factice chromatography of, *Hirsch*, 9

Serum triglycerides: Frequency distribution in man, *Krell and Hashim,* 407
Sex: Cholesterol metabolism in liver mitochondria as influenced by, *Kritchevsky, Tepper, Staple, and Whitehouse,* 188
Sex hormones: Cholesterol metabolism in liver mitochondria as influenced by, *Kritchevsky, Tepper, Staple, and Whitehouse,* 188
Sheep: Fatty acids of milk lipids (Rev), *Garton,* 239
Silicic acid columns: Separation of buttermilk phospholipids on, *Hawke,* 257
Skin: Occurrence of 2-hydroxy fatty acids in, *Kishimoto and Radin,* 130
—: Sterols of, *Horlick and Avigan,* 160
Spectrophotometry: Infrared; measurement of serum triglycerides by thin-layer chromatography, *Krell and Hashim,* 407
Sphingolipids: Of brain; structure of the normal unsaturated fatty acids, *Kishimoto and Radin,* 437
Sphingomyelin: Purification and partial characterization of, from human plasma, *Sweeley,* 402
Spleen: Occurrence of 2-hydroxy fatty acids in, *Kishimoto and Radin,* 130
Stearic acid: In vivo conversion to brain sphingolipid fatty acids, *Hajra and Radin,* 448
Sterols: Metabolism of; triparanol and, *Clayton, Nelson, and Frantz,* 166
—: — —; triparanol and, *Horlick and Avigan,* 160
—: Of rat skin; *Clayton, Nelson, and Frantz,* 166
—: — — —; *Horlick and Avigan,* 160
—: Quantitative isolation of, *Sperry,* 221
—: Thin-layer chromatography of, *Avigan, Goodman, and Steinberg,* 100
Syrosingopine: Mobilization of biogenic amines in mammalian adipose tissue, *Stock and Westermann,* 299

T

Temperature: Fatty acid constituents of *Serratia marcescens, Bishop and Still,* 87
Tetrolyl-COA: Inhibition of fatty acid synthesis by, *Robinson, Brady, and Bradley,* 144
Thin-layer chromatography see Chromatography
Thromboplastic activity: Of phosphatidylethanolamine from various sources, *Turner, Holburn, DeSipin, Silver, and Tocantins,* 52
Thyroid: Function; bile acid production and, *Strand,* 305
Thyroid activity: Bile acid excretion in rats and, *Lin, Rubinstein, and Holmes,* 63
— —: Relation to release of free fatty acids from adipose tissue, *Deykin and Vaughan,* 200
α-Tocopherol-C^{14}: Absorption storage and metabolism, in rat and chicken, *Krishnamurthy and Bieri,* 330
Triglycerides: Factice chromatography, *Hirsch,* 6
—: Fat absorption and; fatty acid esterification and chylomicron formation, *Karmen, Whyte, and Goodman,* 312
—: Of plants; specific distribution of unsaturated fatty acids in, *Mattson and Volpenhein,* 392
—: Of serum; measurements of, by thin-layer chromatography and infrared spectrophotometry, *Krell and Hashim,* 407
Triiodothyronine: D- and L-; Bile acid excretion of rats and, *Lin, Rubinstein, and Holmes,* 63
—: —; bile acid production in the rat and, *Strand,* 305
—: Release of free fatty acids from adipose tissue of rats treated with, *Deykin and Vaughan,* 200
Triparonol: Effect of skin lipids; *Clayton, Nelson, and Frantz,* 166
—: — — —; *Horlick and Avigan,* 160
—: Egg laying, in pullets fed, *Wong, Avigan, Raiford, and Butler,* 477
—: Mode of action of sterol metabolism, *Horlick and Avigan,* 160
TSH see Pituitary hormones,

U

Ultramicro - ozonolysis: apparatus for *Privett, Blank, and Romanus,* 261
—: Of tissue fatty acids; in conjunction with thin-layer chromatography and gas-liquid chromatography, *Privett, Blank and Romanus,* 260

W

Whale: Fatty acids of milk lipids (Rev) *Garton,* 239

J. Lipid Research, October 1963
Volume 4, Number 4

New Methods Index

Vol. 4, Nos. 1–4

Compiled by H. A. I. Newman

The numbers in this Index refer to entry numbers in the New Methods listings. They are found on the following pages of Volume 4:

Nos. 1–135 pp. 113–118
Nos. 136–232 pp. 231–235
Nos. 233–356 pp. 362–367
Nos. 357–435 pp. 486–489

BILE ACIDS: 2, 53, 54, 156, 297, 382, 383, 384
CHROMATOGRAPHY: 128, 131, 132, 251, 355, 435
- **Column:** 127, 134, 232, 356
- **Glass fiber:** 352
- **Thin-layer:** 123, 124, 125, 126, 129, 130, 133, 230, 231, 349, 350, 351, 353, 354, 434

ENZYMES:
- **Lipases:** 229, 347, 427, 428, 429, 431, 432, 433
- **Phospholipases:** 122, 348, 430

FAT SOLUBLE VITAMINS AND DERIVATIVES: 224, 425
- **Tocopherols:** 161, 424
- **Vitamin A and carotenoids:** 117, 119, 225, 226, 342, 343
- **Vitamin D:** 118, 344
- **Vitamin K:** 424

FATTY ACIDS: 77, 78, 82, 83, 84, 86, 89, 90, 93, 95, 198, 199, 200, 201, 309, 310, 391, 399, 400, 402, 403, 404, 405, 406, 407, 409, 410
- **Esters:** 94, 96, 206
- **Free:** 76, 80, 100, 313, 314
- **Hydroxy:** 73, 79, 85, 203, 204
- **Steam volatile:** 312
- **Unsaturated:** 81, 87, 91, 202, 205, 311, 315, 316, 401, 408, 411

FATTY ALCOHOLS: 74, 75, 88, 308
FATTY ALDEHYDES: 75, 92, 334, 405
GAS-LIQUID CHROMATOGRAPHY: 10, 11, 82, 98, 139, 156, 161, 259, 310
- **Methods:** 1, 7, 140, 158, 355
  - **Capillary technique:** 240
  - **Collection:** 154
  - **Detection:** 159
  - **Preparation of suitable solute derivatives:** 357
  - **Radioassay:** 12, 358, 361
  - **Sample introduction:** 152, 360
  - **Solid support:** 6, 153, 235, 238
  - **Stationary phase:** 143, 151, 155
  - **Temperature:** 144
- **Solute class:**
  - **Fatty acids and close derivatives:** 13, 14, 15, 136, 142, 147, 149, 152, 157, 234, 236, 239, 243, 246
  - **Glycerides and close derivatives:** 11
  - **Steroids and sterols:** 2, 3, 5, 8, 16, 138, 141, 145, 148, 162, 182, 185, 233, 237, 241, 242, 245, 359, 362
  - **Terpenes:** 4, 9, 137, 146, 150, 160, 222, 237, 244

GLYCERIDES: 27, 97, 98, 99, 100, 101, 206, 207, 208, 250, 317, 318, 319, 320, 321, 391, 412, 413
GLYCOLIPIDS: 55, 56, 57, 58, 59, 60, 61, 62, 221, 322, 338, 385, 386, 387
- **Sialic acid:** 219

LIPIDS: 17, 18, 19, 21, 22, 24, 25, 26, 27, 163, 164, 165, 166, 167, 168, 169, 170, 171, 247, 248, 249, 250, 251, 252, 253, 363, 364, 365, 366, 367
- **Phosphotidopeptides:** 20
- **Proteolipids:** 20, 23

LIPOPROTEINS: 24, 120, 121, 227, 228, 345, 346
PHOSPHOLIPIDS: 102, 106, 109, 110, 206, 213, 215, 218, 305, 326, 330, 331, 412, 414, 415, 417, 421
- **Choline containing:** 108
- **Ethanolamine containing:** 422
- **Hydrolysis products analysis:** 103, 104, 107, 112, 209, 211, 329, 334, 335, 416, 420, 423
- **Noncholine containing:** 211, 212, 216, 325, 328, 332
- **Phosphorus determination:** 105, 111, 210, 214, 323, 324, 333, 419
- **Plasmalogens:** 217, 416
- **Sphingomyelin:** 327, 329, 418, 420, 423

STEROIDS: 32, 35, 42, 44, 47, 48, 50, 172, 173, 175, 177, 181, 183, 185, 186, 188, 256, 259, 260, 262, 263, 265, 269, 272, 273, 276, 277, 278, 279, 280, 281, 283, 284, 286, 290, 295, 369, 371, 373, 376, 377, 378, 380, 388
- **Adrenal:** 28, 29, 31, 34, 38, 39, 49, 51, 180, 255, 257, 258, 261, 267, 270, 271, 374
- **Androgenic:** 43, 293, 370
- **Estrogenic:** 30, 36, 37, 41, 52, 179, 182, 264, 268, 274, 285, 289, 291, 292, 379, 381
- **Progestational:** 10, 45, 46, 174, 176, 179, 184, 187, 189, 191, 275, 282, 287, 288, 294, 296, 368, 372, 375
- **Urinary:** 33, 40, 49, 51, 178, 179, 184, 187, 190, 254, 261, 266, 274, 288, 359, 362

STEROL ESTERS: 63, 70, 72, 194, 298, 299, 306, 391, 396
STEROLS: 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 192, 193, 195, 196, 197, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398
SULFOLIPIDS: 220, 326, 336, 337, 385
TERPENES: 32, 47, 113, 114, 115, 116, 222, 223, 339, 340, 341, 426
WAXES: 135